

Adjustable Probes

Datasheet




Adjustable Probe Datasheet

Introduction

When it is necessary to measure the impedance of electronic components such as circuit boards and wires, due to uneven spacing, it is necessary to make corresponding test probes and fixtures according to the test time.

With this adjustable probe, the distance between test probes can be adjusted between 0 mm- 6.5 mm through the built-in adjusting wheel, and the test can be carried out quickly.

Adjustable Single-Ended Probe ASP-18




Product Technical Parameters

| Project | Parameter |
|--------------------------------------|---|
| Probe Model | ASP-18 |
| Probe Spacing | 0-6.5 mm Adjustable |
| Probe Connector | SMA |
| Bandwidth | 0-18 GHz |
| Probe Impedence | 50 Ω |
| Cable Impedence | 50 \pm 0.5 Ω |
| Cable Connector | One end of the SMA is matched with the probe, the other end can choose N or SMA |
| Repeatability and Stability of Probe | Test continuously for more than 100 times, R \leq 2% |
| Cable Outside Diameter | 5 mm |

Note: The warranty period is 6 months

Adjustable Differential Probe ADP-18




Product Technical Parameters

| Project | Parameter |
|--------------------------------------|---|
| Probe Model | ADP-18 |
| Probe Spacing | 0-6.5 mm Adjustable |
| Probe Connector | SMA |
| Bandwidth | 0-18 GHz |
| Probe Impedance | 100 Ω |
| Cable Impedance | 50±0.5 Ω |
| Cable Connector | One end of the SMA is matched with the probe, the other end can choose N or SMA |
| Repeatability and Stability of Probe | Test continuously for more than 100 times, R≤2% |
| Cable Outside Diameter | 5 mm |

Note: The warranty period is 6 months

Adjustable Single-Ended Probe ASP-26




Product Technical Parameters

| Project | Parameter |
|--------------------------------------|---|
| Probe Model | ASP-26 |
| Probe Spacing | 0-6.5 mm Adjustable |
| Probe Connector | SMA |
| Bandwidth | 0-26.5 GHz |
| Probe Impedence | 50 Ω |
| Cable Impedence | 50±0.5 Ω |
| Cable Connector | One end of the SMA is matched with the probe, the other end can choose N or SMA |
| Repeatability and Stability of Probe | Test continuously for more than 100 times, R≤2% |
| Cable Outside Diameter | 5 mm |

Note: The warranty period is 6 months

Adjustable Differential Probe ADP-26



Product Technical Parameters

| Project | Parameter |
|--------------------------------------|---|
| Probe Model | ADP-26 |
| Probe Spacing | 0-6.5 mm Adjustable |
| Probe Connector | SMA |
| Bandwidth | 0-26.5 GHz |
| Probe Impedance | 100 Ω |
| Cable Impedance | 50±0.5 Ω |
| Cable Connector | One end of the SMA is matched with the probe, the other end can choose N or SMA |
| Repeatability and Stability of Probe | Test continuously for more than 100 times, R≤2% |
| Cable Outside Diameter | 5 mm |

Note: The warranty period is 6 months



About SIGLENT

SIGLENT is an international high-tech company, concentrating on R&D, sales, production and services of electronic test & measurement instruments.

SIGLENT first began developing digital oscilloscopes independently in 2002. After more than a decade of continuous development, SIGLENT has extended its product line to include digital oscilloscopes, isolated handheld oscilloscopes, function/arbitrary waveform generators, RF/MW signal generators, spectrum analyzers, vector network analyzers, digital multimeters, DC power supplies, electronic loads and other general purpose test instrumentation. Since its first oscilloscope was launched in 2005, SIGLENT has become the fastest growing manufacturer of digital oscilloscopes. We firmly believe that today SIGLENT is the best value in electronic test & measurement.

Headquarters:

SIGLENT Technologies Co., Ltd
Add: Bldg No.4 & No.5, Antongda Industrial
Zone, 3rd Liuxian Road, Bao'an District,
Shenzhen, 518101, China
Tel: + 86 755 3688 7876
Fax: + 86 755 3359 1582
Email: sales@siglent.com
Website: int.siglent.com

North America:

SIGLENT Technologies America, Inc
6557 Cochran Rd Solon, Ohio 44139
Tel: 440-398-5800
Toll Free: 877-515-5551
Fax: 440-399-1211
Email: info@siglentna.com
Website: www.siglentna.com

Europe:

SIGLENT Technologies Germany GmbH
Add: Staetzlinger Str. 70
86165 Augsburg, Germany
Tel: +49(0)-821-666 0 111 0
Fax: +49(0)-821-666 0 111 22
Email: info-eu@siglent.com
Website: www.siglenteu.com

CALTRON PTE LTD
email: caltron@caltron.sg
www.caltron.sg

Follow us on
Facebook: SiglentTech

